## Wildlife and Plant Resource Report Primrose Creek/ Snow River Project Environmental Assessment

U.S. Forest Service Chugach National Forest

November 1988

FOSTER WHEELER ENVIRONMENTAL CORPORATION

## APPENDIX B MARBLED MURRELET SURVEY 1996 PRIMROSE/SNOW RIVER SEWARD RANGER DISTRICT, ALASKA

United States Department of Agriculture Forest Service Chugach National Forest Seward Ranger District P.O. Box 390 Seward, AK 99664

Reply to: 2600

Date: September 4, 1996

Subject: 1996 Primrose/Snow Marbled Murrelet Survey-Seward Ranger District

To: Files

In 1996 intensive inland monitoring of Marbled Murrelet (Brachyramphus marmoratus) usage was conducted in the Snow River and Primrose Valleys as inventory work for the propsed Primrose/Snow River Timber Sale. The majority of birds detected were most likely Marbled Murrelets as the survey areas were at lower elevations (1350 ft and below) and in or near spruce or hemlock etands. Kittlitz's murrelets (Brachyramphus brevirostris) are known to nest in alpine areas (Hamer and Nelson, 1995).

Surveys were conducted in blocks 1 and 2 of the Snow River sale and blocks 1 through 4 of the Primrose sale. The survey objective was to determine murrelet presence in the proposed sale area. Survey points in the Snow River sale were located along the Victor Creek Trail and along the railroad right of way. Survey points in the Primrose sale were located in muskegs or near lake edges within or near the proposed unit boundaries. Open locations were desirable to provide observers a clear field of view.

Surveys were conducted using the Murrelet Intensive Inventory (Dawn Watch) Form Guidelines for Alaska (Naslund et al. 1991, Paton et al. 1990). All dawn watches began an hour and a half before official surrise and continued until 15 minutes after sunrise or 15 minutes after the last bird was detected.

Twenty-seven points were surveyed between July 9th and July 30th with 331 detections resulting in a total of 569 birds. Table 1 summarizes locations, behavior of birds, and number of detections for sites surveyed in the proposed snow River and Primrose Timber Sales.

On July 9, 1996 94 detections were made at 3 survey points at Victor Creek. Site V1 (the powerline crossing on the Victor Creek Trail) was resurveyed on two other occasions as a control point and as a training point. High numbers of detections occured at this location on all 3 occasions. The birds seem to be concentrating and flying low up the Victor Creek drainage. Birds may be circling in this area which could account for high numbers of detections and indicate nesting. The birds also seemed to disperse as they traveled higher up the drainage accounting for a lower number of detections at site V3 and further indicating nesting in the area. The Victor Creek drainage would be an excellent area for future training and further study including nest searching.

Only 8 detections occurred at 9 sites in the Snow River Valley, however all of these points were at the same elevation (approximately 450 ft ASL). It is possible that the birds flying up Victor Creek may be coming through Snow River Valley at a higher elevation then the points surveyed, or be flying silently and dispersed. This would account for the high numbers of detections at Victor Creek and very low numbers of detections in Snow River Valley just south of there. Future surveys could include the Ptarmagin Creek drainage to determine if some of the murrelets detected at Victor Creek are flying further north to this area, and areas in the Snow River Valley at elevations higher then previously surveyed. The area above Snow River Valley is steep and there are few suitable open areas at elevations a few hundred feet above the valley which would make future surveys here difficult.

No birds were detected in the Paradise Lakes area, surveyed to determine if Victor Creek birds were coming from Prince William Sound.

The Primrose (P1-3) and Long Lake Sites (L1-3) recorded a total of 11 detections at 6 sites. These numbers were consistently lower then the Meridian (M1-4), Graying (G1-2), and Ski Lake (K1-2) sites located further south. The 8 sites in these areas accounted for a total of 166 detections on 8 sampling occasions. These sites were surveyed as pairs. In each pair the survey point which was located more westerly and at a higher elevation (a difference of a few hundred feet) had a greater number of detections. Sirds were detected circling at sites M1, M3, and G2 indicating possible nesting in these areas. Wing sounds and jet sounds were noted at sites M3 and M4 on July 25, 1996. The Meridian and Grayling Lakes area would be an excellent area for further study including nest searching.

## Literature Cited

Hamer, T.E. and S.K. Nelson. 1995. Characteristics of marbled murrelet nest trees and nesting stands. Gen. Tech. Rep. PSW-152. Berkley, CA, Pacific Southwest Research Station, USDA Forest Service. 14 pp.

Naslund, N.L., K.J. Kuletz, D. Marks, and M. Cody. 1991. Appendix A. Murrelet intensive inventory (dawn watch) form guidelines for Alaska. Anchorage, AK. Migratory Bird Management. U.S. Fish and Wildlife Service. 7 pp.

Paton, P.W.C., C.J. Ralph, H.R. Carter, and S.K. Nelson. 1990. Surveying marbled murrelets at inland sites: a guide. Gen. Tech. Rep. PSW-120. Berkley, CA, Pacific Southwest Research Station, USDA Forest Service. 9 pp.

Wandy Bryden Biological Technician

Watch Survey - Seward Ranger District radie 1. Snow River and Primrose Timber Sales - 1996 Marbled Murrelet Dawn

SITE	DATE	LEGAL DESCRIPTION	SALE UNIT NO.	ELEY.	FLY OVER CIRCLE	כואכוב	CLRCLE RELO	RELOW LWKW	5 3	SCELLE ON
						7,010		5717,117	3	
VICTOR								,		
_								_		
<u> </u>	7/9/96	8 NE 1/4		CG 103 650 FT	2	v	v		ž	ž.
			<b>新102</b>			,	.· •	-	Ę	 }
	7/16/06				59				æ	ž
<b>≾</b> ∶	7/9/96	T3M_R1F SEC SR MESSA		}	16	~	0	•	18	25
			XE1 104	17 000	22	^		•	24	_
Ž,	7/9/96	134, R1E, SEC 8 541/4	SR-BL1 HE1 102 1000 FT	1000 FT			0	•	7	g
NY1019US		SEQ 6-7						•		•
	٠	-			132	10	W	_	<del>1</del>	267
S S S					-22					
4 5	7/10/02	•								
		SEU 8-7	PK-RC KET	201 500 FT	0	0		0	0	•
\$2	7/10/%	30 JK1/4	SR-BL2 HE1 201	201 500 FT	<b>-</b>	0	>		•	,
S	7/10/96	7/10/96 T3W R1F SEC 30 Se1//	2	}	,					
		7	CG 504	7		ζ.	c	•	<b>ل</b>	
	96/01//	//10/96 T3N,R1E,SEC 29 SV1/4	S	175 F1	_	0	0	0	<b>~</b>	_
\$5	7/10/96	2 NU1/4	SK-BL2 CG 224	ξ, Ε	C.	0	>		<b>&gt;</b>	· -
<u>ج</u>	7/10/04					•	•		•	
	96/01/	SEV 8-7	SR-BL2 CG 208	175 FT	0	0	0	0	0	
×	//10/%	(/10/96-T3N,R1E,SEC 32 SV1/4	SR-8LZ CG 210	450 FT	٧,	0	0	0	~	
\$20	7/10/96	7/10/96 12H, RIE, SEC 6 HE1/4	SR-8L2 CG 210	450 FT	<b>-</b>	0	0	0	۰	~~
\$9	7/10/%	7/10/96 12H, R1E, SEC 6 SE1/4	SR-BLZ CG 210	450 FT	0	0	0		<b>-</b>	 
TVIOLAT	<b></b>	SEW 6-7			<b>X</b>	>	>		ь	*
PARAD I SE								,		
LAKES							•			
2	7/30/%	/30/96 13W, RZE, SEC 15 SE1/4		1200 FI	0	•	٥	•	0	
	7/30/%		<del></del>	-	,	<b>&gt;</b>	0	0	•	
R2		7/30/96 T3W, RZE, SEC 12 NE1/4		1350 FT	0	•			•	•

	<u>چ</u>				2		£	ع					Æ	ñ		_	_		- Inchit	2				7,3	
-	1V101971S	. K	SK1 LAKE	Teiniers		3 9	GRAYLING	TYLOLBOS	<b>₹</b>	ፚ	25	ΞŞ	HERIDIAN	TATOLERS		Ā	~			TWIGHTS			<u></u>	PR [MROSE	3118
	-	7/18/96	7/18/96	•	7/ 65/17	7/26/96			7/25/96	7/25/96	7/24/95	7/24/96			6/0/2	7 / 27 / 04	7/27/%	7/28/96			7/11/%	1 7 7 7	7/17/04	7/17/96	BIVO
		7/18/96 12H, R1W, SEC 24, HE1/4 PR-BL4	7/18/96 F3H,R1U,SEC 13,HE1/4		7/26/96 12M, R19, SEV 8-7 CG 413	7/26/96 12H, RIV, SEC 13, HE1/4	····		7/25/96 12M,R1W, SEC 12, SW1/4 PR-BL4	7/25/96 12M, RIW, SEC 12, NE1/4	7/24/95 TZY, 814, SEC 12, NV1/4	7/24/96 T2H,R1W, SEC 1, SE1/4	,		36, SEI/4 SEU 8-7	,	7/27/96 13W, R1W, SEC 25, SE1/4	7/28/96 134, RTH, SEC 25, SV1/4	-		7/11/96 13W,R1W,SEC 24,SW1/4 SEW 8-7	SEW 8-7		7/17/96 T3W, RIW, SEC .13, SW1/4 PR-BL1	רבכאו
		SEU 8-7	SEV 8-7		SEV 8-7	SEN 8-7		. !	7, SEC 12	), SEC 12	SEV 8-7	SEC 1,			SEU 8-7	SEW B-7	), SEC 25	, SEC 23			SEN B-7	SEW B-7	SEN B-7	1, SEC .13	LEGAL DESCRIPTION
		, HE1/4			,,IVI,/	KE1/4			1/14S		_									,	,SV1/4	, KV1/4	:	, SV1/4	PIDN
			PR-814					į		PR-8L4	PR-BL3 1				CG 310 (		PR-BL2 (			!	PR-BL148L2	CG 102			SVLE (II
		CG 401	CG 408		CG 412	cc +03			CC 422	613 93	CG 218	CG 304			CG 303		CG 207	CG 203			31.2	CG 101		CG 101	UNIT HO.
		750 FT	1000 51		1000 FT	950 FI			1050 FT	750 FT	950 F1	900 FT			78 F1		11 128 138	1000 FT			700 FT	780 F1		700 FT	ELEV.
	30	œ	8	21	17		-	98	6	۲. -	심	<u>ــ</u>		'n	0		,,	~		5	_	-		<del></del>	FLY OVER CIRCLE
	.0	0	0	0	0	0			•	w	0	_		0	0			0	•	<u>.</u>	-			<b>o</b>	
	0		.· •	•	0		•	0	0	•	•	0		0	0	٠.				0	0			0	CIRCLE BELOW LINKOW NO.
												•													BELO7
		0		<u> </u>	y.	0		<u>-</u>	0	0	0	<b></b>		0	0		>	0	-	0	٥	0		<b>o</b> ,	NCO.
	31	æ	23	X	25	•		ឪ	60	17	ଝ	16		vi,	0	ı	-4	~		٥	_	u	•	0	fo. DE1
	42	=	4	8	57	<u></u>		ž.	23	37	40	28		0.	0		<b>~</b>	w		ಕ	ш	7	,	<b>.</b>	ŏ.
																									BCROS

